

Occupant Protection Data Mining and Modeling Project

Completed Technology Project (2012 - 2015)



Project Introduction

Current National Aeronautics and Space Administration (NASA) Occupant Protection standards and requirements are based on extrapolations of biodynamic models, which were based on human tests performed during pre-Space Shuttle human flight programs. In these tests, occupants were in different suit and seat configurations than are expected for the Multi Purpose Crew Vehicle (MPCV) and Commercial Crew programs. As a result, there is limited statistical validity to the Occupant Protection standards. Furthermore, the current standards and requirements have not been validated in relevant spaceflight suit and seat configurations or expected loading conditions.

To address the limitations of the current NASA standards, this study will address the following two objectives: 1) Develop a Finite Element (FE) model of Test device for Human Occupant Restraint (THOR) Anthropomorphic Test Device (ATD), and 2) Conduct data mining of existing human injury and response data using the THOR FE model.

In order to develop updated standards, adequate injury assessment tools must be chosen and developed. In the case of dynamic loads, the THOR ATD was chosen as the appropriate human surrogate. For the data mining portion of the task, re-creation of the conditions of each impact case is needed to determine injury risk. Since physical re-creation of each case is not feasible, a numerical model of the THOR ATD is desired. An existing THOR FE model will be refined and validated. To supplement available THOR ATD validation data, additional THOR ATD testing will be conducted at two facilities and ATD response data will be collected. The FE model responses will then be assessed against the physical ATD responses. Once the ATD model is validated, it can be used for the data mining portion of the study.

Because analogous spaceflight injury biomechanics data are very limited, data mining of other analogous environments will be used. These datasets are chosen as they have similarities with the landing environment expected in future vehicles. The existing human injury and response data from other sources include historical military volunteer testing, automotive Crash Injury Research Engineering Network (CIREN), IndyCar impacts, and NASCAR impacts. These data sources can allow better extrapolation of the ATD responses to off-nominal conditions above the nominal range that can safely be tested in humans. These elements will be used to develop injury risk functions for each of the injury metrics measured from the ATD. These risk functions would then be incorporated with the results of other Tasks to update the NASA standards.

Task Description:

The ultimate aim of this project is to develop Occupant Protection standards for NASA that would apply to all future crewed spacecraft.

1. Conduct ATD dynamic tests to relate human and ATD responses.



Occupant Protection Data Mining and Modeling Project

Table of Contents

Project Introduction	1
Anticipated Benefits	2
Primary U.S. Work Locations and Key Partners	2
Organizational Responsibility	2
Project Management	2
Project Transitions	3
Technology Maturity (TRL)	3
Technology Areas	3
Target Destinations	3
Stories	4
Project Website:	5

Occupant Protection Data Mining and Modeling Project

Completed Technology Project (2012 - 2015)




2. Mine existing human injury and tolerance data and simulate dynamic environments using Finite Element (FE) models. Relate human injury and responses to ATD estimated responses from FE models.

3. Develop injury risk functions based on ATD responses and develop NASA standards from these functions.

Anticipated Benefits

The results of this study have a significant impact on terrestrial applications in the automotive and aviation safety communities. This study has access to unique and previously unpublished human impact exposure data, which allows new insight into human tolerance to dynamic loads. This can have a direct benefit on future protection systems in automobiles and aircraft.

Primary U.S. Work Locations and Key Partners



Organizational Responsibility

Responsible Mission Directorate:

Space Operations Mission Directorate (SOMD)

Lead Center / Facility:

Johnson Space Center (JSC)

Responsible Program:

Human Spaceflight Capabilities

Project Management

Program Director:

David K Baumann

Project Manager:

Mihriban Whitmore

Principal Investigator:

Michael L Gernhardt

Co-Investigators:

Jeffrey T Somers
Chris L Perry
Costin Untaroiu
Erin E Caldwell
Nathaniel J Newby

Occupant Protection Data Mining and Modeling Project

Completed Technology Project (2012 - 2015)



Organizations Performing Work	Role	Type	Location
★ Johnson Space Center(JSC)	Lead Organization	NASA Center	Houston, Texas
Virginia Polytechnic Institute and State University(VA Tech)	Supporting Organization	Academia	Blacksburg, Virginia
Wake Forest University	Supporting Organization	Academia	Winston-Salem, North Carolina
Wright-Patterson Air Force Base	Supporting Organization	US Government	
Wyle Integrated Science and Engineering Group	Supporting Organization	Industry	

Primary U.S. Work Locations


Texas

Project Transitions

June 2012: Project Start

Technology Maturity (TRL)

Start: **4**
 Current: **6**
 Estimated End: **6**



Technology Areas

Primary:


- TX06 Human Health, Life Support, and Habitation Systems
 - TX06.3 Human Health and Performance
 - TX06.3.2 Prevention and Countermeasures

Target Destinations

The Moon, Mars

Occupant Protection Data Mining and Modeling Project

Completed Technology Project (2012 - 2015)

 **April 2015:** Closed out

Closeout Summary: Current National Aeronautics and Space Administration (NASA) occupant protection standards and requirements are based on extrapolations of biodynamic models, which were based on human tests performed during pre-Space Shuttle human flight programs. In these tests, occupants were in different suit and seat configurations than are expected for the Multi-Purpose Crew Vehicle (MPCV) and Commercial Crew programs. As a result, there is limited statistical validity to the occupant protection standards. Furthermore, the current standards and requirements have not been validated in relevant spaceflight suit and seat configurations or expected loading conditions. The objectives of this study are to use current modeling techniques and industry standard approaches to analyze existing human databases to develop new NASA standards and requirements for occupant protection. To accomplish these objectives we began by determining which critical injuries NASA needs to mitigate. We then defined the anthropomorphic test device (ATD) and the associated injury metrics of interest. Finally, we conducted a literature review of available data for the Test Device for Human Occupant Restraint (THOR) ATD to determine injury assessment reference values (IARV) to serve as a baseline for further development. The first objective of this study was to assess the THOR for use by NASA in developing and validating occupant protection standards. THOR was impact tested in various orientations and multiple peak acceleration levels, and responses to these impacts differed from human responses under identical impact conditions and do not replicate human bracing for impact. As part of this study, a finite element model (FEM) of the THOR was developed, calibrated, and optimized. The FEM proved a good match to the ATD. The FEM simulations (at a wide range of impacts that military subjects participated in) historically revealed that the FEM correlated to lower-peak acceleration impacts better than to higher-peak accelerations. The second objective of this study was to mine existing human injury and exposure data. The U.S. Air Force maintains thousands of human-impact-test results. Data collected from 1976 to 2004 have been downloaded and converted into a user-friendly MATLAB data structure format. The team created IARVs for several metrics mined from existing injury literature. The IARVs for the spine and chest deflection subsequently were refined based upon statistical models of combined non-injurious and injurious literature data. This work culminated in the development of an acceptable risk of injury from spaceflight, which included a newly developed operationally relevant injury scale.

Stories

Abstracts for Journals and Proceedings
(<https://techport.nasa.gov/file/53311>)

Abstracts for Journals and Proceedings
(<https://techport.nasa.gov/file/53313>)

Abstracts for Journals and Proceedings
(<https://techport.nasa.gov/file/53318>)

Abstracts for Journals and Proceedings
(<https://techport.nasa.gov/file/53321>)

Abstracts for Journals and Proceedings
(<https://techport.nasa.gov/file/53316>)

Abstracts for Journals and Proceedings
(<https://techport.nasa.gov/file/53324>)

Articles in Peer-reviewed Journals
(<https://techport.nasa.gov/file/53328>)

Articles in Peer-reviewed Journals
(<https://techport.nasa.gov/file/53325>)



Articles in Peer-reviewed Journals
(<https://techport.nasa.gov/file/53329>)

Articles in Peer-reviewed Journals
(<https://techport.nasa.gov/file/53330>)

Articles in Peer-reviewed Journals
(<https://techport.nasa.gov/file/53327>)

NASA Technical Documents
(<https://techport.nasa.gov/file/53331>)

NASA Technical Documents
(<https://techport.nasa.gov/file/53332>)

Papers from Meeting Proceedings
(<https://techport.nasa.gov/file/53334>)

Papers from Meeting Proceedings
(<https://techport.nasa.gov/file/53333>)

Project Website:

<https://taskbook.nasaprs.com>